Index to Volume 70

Abade, A., 1011–1023
aboriginal population, 813–844
ABO system, 1–22, 659–666, 699–714
acetylator phenotypes, 959–964
"Acetylator Phenotypes: Allele Frequency in Northwestern Argentina and Review of Acetylator Distribution in the Americas," 959–964
acid phosphatase, 443–461
adenylate kinase (*AK*), 443–461, 699–714
ADHD (attention deficit hyperactivity disorder), 387–412, 413–432
admixture
  Amerindian, 137–139, 937–947
  European, 937–947
  models, 517–534
  peopling of Japan and, 1–22
  tribal populations of Manipur and, 597–619
adoption studies
  intelligence, 257–279
  personality, 159–184
  sexual orientation, 347–365
"Affected Sib-Pair Methods for Detecting Linkage to Dichotomous Traits: Review of the Methodology," 1025–1040
AFLP (amplified fragment length polymorphism), 491–505, 949–957
African American infants, 517–534
African ancestry, 443–461, 965–970
African populations, 477–490, 979–992, 1101–1106
age
  body mass index and, 901–917
  at first full-term pregnancy, 1073–1091
  IQ and, 257–279
  at menarche, 1073–1091
  at menopause, 1073–1091
  resting blood pressure and, 77–90
  skin reflectance and, 889–900
  structure, of Gangte tribe, 597–619
  systolic blood pressure and, 59–75
AHSG (α_2-HS-glycoprotein), 463–475
AK (adenylate kinase), 443–461, 699–714
Akha, 993–1000
Alamanos, Y., 621–629
alcohol consumption, 1073–1091
Alfaro, E., 959–964, 1001–1010
Ali, S., 477–490
allele frequencies
  AHSG, 463–475
  Amerindian-European comparison, 937–947
  in Anatolian population, 715–728
  APOB and *LPL* RFLPs, 47–57
  APOE, 1093–1099
  Basque population, 491–505
  clinical distribution, 643–657
  in Croatian population, 949–957
  D1S80 locus, 129–135, 507–516
  D21S11, 813–844
  of genetic markers in Sicily, 699–714
  HLA-DQA1 and *HLA-DQA2*, 790–797
  *Msp*I, 41–46
  in northwestern Argentina, 959–964
  of slow acetylators, 959–964
  spatial patterns, 1–22
  STR loci, 937–947
  TF, in Indian populations, 729–744
"Allele Frequencies of Six Highly Polymorphic DNA Loci in the Croatian Population," 949–957
alleles. *See also* allele frequencies; *specific alleles*
  Brazilian tribes, 789–797
  differences, of microsatellite loci, 621–629
  distributions, 443–461
  identical by descent, 1025–1040
  identical by state, 1025–1040
  Machado-Joseph disease, 1011–1023

allele-sharing analysis, 281–296, 325–345
Alonso, S., 491–505
alpha-1-acid glycoprotein, 715–728
alpha-1-antitrypsin, 699–714
alpha-2HS-glycoprotein (*AHSG*), 463–475, 715–728
α_2-receptor gene, 77–90
Alsobrook, J.P., II, 413–432
altitude, 889–900, 1001–1010
Alu insertions, 23–39
Alzheimer's disease, 281–296
amelogenin, 813–844
Amerindian tribes
  allele frequencies, 937–947
  D1S80 polymorphisms, 507–516
  dermatoglyphic relations, 579–596
  HLA-DQ evolution, 790–797
  Machado-Joseph disease, 1001–1010
Amerind linguistic group, 23–39
amplified fragment length polymorphisms (AFLPs), 491–505, 949–957
Anatolian population, 715–728
Andersson, R., 1101–1106
Andes, Central, 865–887, 1001–1010
Andhra Pradesh, India, 729–744, 901–917
Andjelinović, S., 949–957
Andreyev, A.Yu., 799–804
animal species, homosexual behavior in, 347–365
anthropometry, 761–774, 889–900, 901–917
Antunez de Mayolo, P., 23–39
APOA (apolipoprotein A), 477–490
APOA2 (apolipoprotein A2), 41–46
APOB. *See* apolipoprotein B gene
APOE (apolipoprotein E), 281–296, 715–728, 1093–1099
apolipoprotein A (*APOA*), 477–490
apolipoprotein A2 (*APOA2*), 41–46
"Apolipoprotein A Kringle 4 Polymorphism and Serum Lipoprotein (a) Concentrations in African Blacks," 477–490
apolipoprotein B (*APOB*)
  in Basque population, 491–505
  clinal variation, 643–657
  coronary artery disease and, 47–57
  Croation population, 949–957
apolipoprotein E (*APOE*), 281–296, 715–728, 1093–1099
"Are Causes of Death Predictable?" 117–128
Argentinian Amerindians, 937–947, 1001–1010
ascertainment biases, in family aggregation study, 297–324
Asian ancestry, 23–39
Asian populations, 813–844, 979–992
"Association between Apolipoprotein A2 *Msp*I Polymorphism and Hypertriglyceridemia in Koreans," 41–46
association studies
  child psychopathology, 413–432
  cognitive ability, 281–296
  specific reading disability, 239–256
Aston, C.E., 477–490
attention deficit hyperactivity disorder (ADHD), 387–412, 413–432
Australasians, 979–992
Australian twins, 1073–1091
Austrian population, 761–774
autism, 413–432
autosomal dominant neurodegenerative disorder, 1011–1023

Bailey, J.M., 347–365
Bailliet, G., 1001–1010
Baravelli, V., 643–657
Barbujani, G., 643–657
Barrai, I., 1041–1056
Basque population, Spain, 491–505, 535–561, 667–698
Batzer, M.A., 23–39
behavioral factors, 1101–1106
behavioral genetics
  of achievement and cognitive measures, 215–237
  evolutionary psychology and, 155–157, 159–184
  of human mind, 185–198
  of intelligence, 257–279
"Behavioral Genetics and Evolutionary Psychology: Unified Perspective on Personality Research," 159–184

behavioral inhibition system (BIS), 159–184
behavioral measures, 901–917
Bejarano, I.F., 959–964
Bergström, S., 1101–1106
beta hemoglobin, 443–461, 659–666
Bianchi, N.O., 1001–1010
biceps skinfold thickness, 745–760
biodemographic data, 535–561, 865–887
biological domains, 185–198
biometrics, 257–279
Biondi, G., 699–714
birth, 919–935, 1101–1106
birth certificates, 117–128
birth order
  personality and, 159–184
  sexual orientation and, 347–365, 775–787
"Birth Order and Male Homosexuality: Extension of Slater's Index," 775–787
birth weight, 517–534, 761–774, 1057–1071
BIS (behavioral inhibition system), 159–184
bisexuality, 347–365
Black Lahu, 993–1000
blacks, 77–90, 443–461
Blanchard, R., 775–787
blood antigens, 1–22, 659–666, 699–714
blood pressure, 59–75, 77–90
BMI. *See* Body mass index
body mass index (BMI)
  age at menopause and, 1073–1091
  blood pressure and, 77–90
  genetic control of, 59–75
  maternal, sex ratio at birth and, 1101–1106
  socioeconomic/behavioral variables and, 901–917
  "Body Mass Index and Its Association with Socioeconomic and Behavioral Variables among Socioeconomically Heterogeneous Populations of Andhra Pradesh, India," 901–917
body weight
  age at menopause and, 1073–1091
  gain, 59–75, 761–774
  overweight, 59–75
Boldt, A.B.W., 789–797
Bolivian populations, 889–900
book reviewers
  Crews, D.E., 631–638
  Flannery, G.R., 145–148
  Geidenberger, C.A., 143–145
  Gibson, K.R., 972–974
  Harper, G.J., 435–437
  Hoff, C., 1109–1112
  Mielke, J.H., 1107–1109
  Mobarry, A.E., 433–435
  Relethford, J.H., 971–972
  Vanderlinden, L., 805–808
book reviews
  Colorectal Cancer: A Scientific Perspective (Kinsella), 145–148
  Ecology of Infectious Diseases in Natural Populations (Grenfell and Dobson), 433–435
  Epidemiological Research Methods (McNeil), 143–145
  Health and Welfare during Industrialization (Steckel and Floud), 805–808
  The Human Biology of the English Village (Harrison), 435–437
  Human Variation: Races, Types, and Ethnic Groups (Molnar), 1107–1109
  Inside the Theater of Consciousness: The Workspace of the Mind (Baars), 972–974
  The Medical Management of AIDS in Women (Cotton and Watts), 1109–1112
  Molecular Aspects of Aging (Esser and Martin), 631–638
  The Origins of Native Americans: Evidence from Anthropological Genetics (Crawford), 971–972
  A Practical Guide to Human Cancer Genetics (Hodgson and Maher), 145–148
Borecki, I., 77–90
Bortolini, M.C., 443–461
bottleneck effect, 23–39, 491–505
Bouchard, C., 77–90
Bouchard, T.J., Jr., 257–279
Box-Jenkins model (ARIMA model), 919–935

Brahmins, 738–744
Bravi, C.M., 1001–1010
Brazilians
  butyrylcholinesterase K mutation and, 965–970
  dermatoglyphic relations, 579–596
  gene diversity, 443–461
  HLA-DQA1 and *HLA-DQA2*, 789–797
  polymorphisms, 507–516
Brega, A., 715–728
brief communications
  "Acetylator Phenotypes: Allele Frequency in Northwestern Argentina and Review of Acetylator Distribution in the Americas," 959–964
  "Allele Frequencies of Six Highly Polymorphic DNA Loci in the Croatian Population," 949–957
  "Evolution, Mutations, and Human Longevity: European Royal and Noble Families," 799–804
  "Frequencies of the Butyryl-cholinesterase K Mutation in Brazilian Populations of European and African Origin," 965–970
  "Frequency Distribution of *D1S80* (MCT118) Locus Polymorphism in a Qatari Population," 129–135
  "Genetic Variability of Apolipoprotein E in a Polish Population," 1093–1099
  "*HLA-DQA1* and *HLA-DQB1* Alleles and Haplotypes in Two Brazilian Indian Tribes: Evidence of Conservative Evolution of *HLA-DQ*," 789–797
  "Is Maternal Malnutrition Associated with a Low Sex Ratio at Birth?" 1101–1106
  "Variation in the Number of *FMR1* Microsatellite Repeats in Three Subgoups of the Hellenic Population," 621–629
Brower, A.M., 239–256
Brunner, D., 59–75
Brzustowicz, L.M., 325–345
Bugis, 993–1000
Bunker, C.H., 477–490
butyrylcholinesterase K mutation, 965–970

CAD (coronary artery disease), 47–57
caffeine, 745–760
CAG trinucleotide repeat, 1011–1023
calcium, 745–760
Calderón, R., 535–561, 667–698
Canadian populations, 91–115, 813–844
Canadian Subarctic, central, 91–115
cancer deaths, 117–128
candidate genes, 325–345, 413–432
carbohydrate intake, 1057–1071
Carmelli, D., 59–75
Carmody, G.R., 813–844
Castellano, H.M., 443–461
Castro, A., 491–505
Castro, R.M.V., 965–970
Castro de Guerra, D., 443–461
catechol-O-methyltransferase (*COMT*), 413–432
Catholic church records, 535–561
Cayres-Vallinoto, I.M.V., 507–516
CBCL (Child Behavior Checklist), 387–412
CD (conduct disorder), 387–412
CD-ROM technology, 1041–1056
CED (chronic energy deficiency), 901–917
Cejas, S., 1001–1010
Central Andes, 865–887, 1001–1010
central Canadian Subarctic, 91–115
ceruloplasmin, 443–461
cerumen, 1–22
c-Harvey-Ras oncogene (*HRAS*), 413–432
Chautard-Freire-Maia, E.A., 965–970
Cheng, L.S.-C., 59–75
Chikhi, L., 643–657
Child Behavior Checklist (CBCL), 387–412
childhood psychiatric disorders, 413–432
childhood syndromes, 387–412
child mortality, 597–619
Chinese, 813–844
Cholesky decomposition model, 215–237
cholesterol
  HDL, 41–46, 47–57
  LDL, 1093–1099

total, 47–57
Chow, S.T., 813–844
Christensen, A.F., 563–577
chromosomes, 239–256
chronic energy deficiency (CED), 901–917
Ciminelli, B.M., 659–666
cladistic, 1041–1056
Clark, A., 979–992
climate, 463–475
"Climate-Dependent Genetic Variation of Alpha-2HS-Glycoprotein," 463–475
clinal variation, 643–657
"Clinal Variation in the Nuclear DNA of Europeans," 643–657
coagulation factor XIII (*F13A*), 643–657, 715–728
cognition, 185–198, 281–296
cohort life expectancy, 799–804
color blindness, 1–22
commingling analyses, 297–324
communication, 199–213. *See also* language
"Comparison of Allele Frequencies of Eight STR Loci from Argentinean Amerindian and European Populations," 937–947
"Comparison of Skin Reflectances between Bolivian Lowlanders and Highlanders of European Ancestry," 889–900
computer technology, 1041–1056
COMT (catechol-O-methyltransferase), 413–432
conduct disorder (CD), 387–412
consanguinity, 535–561, 865–887
contingency model, 117–128
Corach, D., 937–947
Corbo, R.M., 715–728
coronary artery disease (CAD), 47–57
Coutinho, P., 1011–1023
Crawford, M.H., 745–760
Cree people, 91–115, 813–844
creolization, 199–213
Croatian populations, 845–864, 949–957
cross-cultural studies, 257–279
CSF1PO, 937–947
Cuccia, M., 715–728
Culpi, L., 965–970
cultural factors, 865–887
cyclic AMP (cAMP), 745–760
Cyprus, 621–629

D1S80, 129–135, 507–516, 643–657, 949–957, 993–1000
"*D1S80* Polymorphism in Amerindians from the Amazon Region of Brazil," 507–516
D6S366, 937–947
D17S5, 491–505, 949–957
D21S11 alleles, 813–844
Daniels, J., 281–296
Da Silva-Junior, W.A., 443–461
Dayak, 993–1000
DBP (diastolic blood pressure), 77–90
death cross-classifications, 117–128
death records, 117–128
DeFries, J.C., 215–237
Deininger, P.L., 23–39
de Knijff, P., 979–992
deletion, 993–1000
Delgado, J., 535–561
Demarchi, D.A., 579–596
"Demographic Implications of Socioeconomic Transition among the Tribal Populations of Manipur, India," 597–619
demographics, 597–619, 667–698
De Pancorbo, M.M., 491–505
"Dermatoglyphic Relationships among South Amerindian Populations," 579–596
dermatoglyphics, 579–596
De Stefano, G.F., 699–714
Destro-Bisol, G., 643–657
developmental psychopathology, 387–412
"Developmental Psychopathology, Personality, and Temperament: Reflections on Recent Behavioral Genetics Research," 387–412
deviant linguistic environment hypothesis, 297–324
diastolic blood pressure (DBP), 59–75, 77–90
dichotomous traits, 1025–1040

"Different Patterns of Variation at the X- and Y-Chromosome-Linked Microsatellite Loci DXYS156X and *DXYS156Y* in Human Populations," 979–992
digital pattern frequencies, 579–596
Dipierri, J.E., 959–964, 1001–1010
directional mating, 1001–1010
DNA
  markers. *See* DNA markers
  mitochondrial. See mitochondrial DNA
  nuclear, 643–657
  polymorphisms, 507–516, 1001–1010
  pooling, 281–296
  sequencing, 979–992
DNA markers
  for coronary artery disease, 47–57
  D1S80 locus, 129–135
  specific language impairment, 325–345
  X chromosome, 367–386
Do, K.-A., 1073–1091
Dobosz, M., 643–657
dopamine D4 receptor locus (*DRD4*), 413–432
DRD4 (dopamine D4 receptor locus), 413–432
Drmić, I., 949–957
Duangchan, P., 993–1000
Dugoujon, J.-M., 667–698
DXS548, 621–629
DXYS156 variation, 979–992
dyslexia, 413–432

Eastern Adriatic isolates, 845–864
"Ecological Study of Mean Birth Weight and Nutritional Intake in Japan," 1057–1071
*Eco*RI polymorphism, 47–57
education, 597–619, 1073–1091
Elston-Haseman algorithm, 325–345
emotion, 185–198
endogamy, 865–887
endophenotype, 325–345
endpoint age, 1073–1091
energy expenditure, 77–90
energy intake, 1057–1071
environment
  blood pressure and, 59–75
  endurance exercise training response and, 77–90
  intelligence/mental ability and, 257–279
  male/female ratio at birth and, 1101–1106
  personality and, 159–184
  personality/temperament and, 387–412
  reading disabilities and, 215–237, 239–256
  seasonality of preterm births and, *919–935*
  sexual orientation and, 367–386
epidemics, 91–115
epidemiology, 91–115
ESD (esterase D), 443–461, 715–728
Eskaleut linguistic group, 23–39
Eskimo wedge theory, 137–139
esterase D (*ESD*), 443–461, 715–728
estrogen, 1073–1091
Etchart, A.A., 959–964
ethnicity, 517–534, 659–666
"Ethnic-Specific Polymorphisms in the Human Beta Pseudogene of Hemoglobin," 659–666
"Ethnohistorical Evidence for Inbreeding among the Pre-Hispanic Mixtec Royal Caste," 563–577
European ancestry, 889–900, 965–970
Europeans
  Argentinian, 937–947
  clinal variations, 643–657
  DXYS156 variation, 979–992
  genetic variability, 1093–1099
  royal/noble families, 799–804
Evdokushkina, G.N., 799–804
Evdokushkina, N.N., 799–804
evolution
  HLA system, 790–797
  human mind, 185–198
  language, 199–213
evolutionary psychology, 159–184
evolutionary theory
  aging, 799–804
  personality, 159–184
  sexual orientation, 347–365
"Evolution, Mutations, and Human Longevity: European Royal and Noble Families," 799–804

exercise training, endurance, 77–90
extroversion, 387–412

F13A (coagulation factor XIII), 643–657, 715–728, 937–947
FABP, 937–947
"Factors Affecting Population Variation in Eastern Adriatic Isolates (Croatia)," 845–864
familial correlation model, 77–90
familial hypertriglyceridemia, 47–57
"Familial Resemblance for Resting Blood Pressure with Particular Reference to Racial Differences: Preliminary Analyses from the HERITAGE Family Study," 77–90
family studies
aggregation-type, 297–324, 347–365
blood pressure, 77–90
mortality research, 117–128
sexual orientation, 367–386
fathers, 117–128, 1001–1010
fat intake, 1057–1071
Faucz, F.R., 789–797
Fernández-Fernández, I., 491–505
fertility, 597–619
FES, 937–947
FESFPS, 949–957
FES/FPS proto-oncogene, 643–657
FGA alleles, 813–844
five-factor model (FFM), 159–184
FMR1 (fragile X mental retardation syndrome gene), 281–296, 621–629
Forgotten Pandemic, 91–115
founders, 621–629, 1011–1023
Fourney, R.M., 813–844
fragile X mental retardation syndrome gene (*FMR1*), 281–296, 621–629
fragile X syndrome, 325–345, 413–432, 621–629
FRAXAC2, 621–629
Frégeau, C.J., 813–844
"Frequencies of the Butyrylcholinesterase K Mutation in Brazilian Populations of European and African Origin," 965–970
"Frequency Distribution of *D1S80* (MCT118) Locus Polymorphism in a Qatari Population," 129–135
Freund, A.A., 965–970
Friesland, Germany, 761–774
"Functional Organization of the Human Mind: Implications for Behavioral Genetics Research," 185–198
Furuta, M., 1057–1071

G6PD (glucose-6-phosphate dehydrogenase), 443–461
Gage, T.B., 517–534
Gagnon, J., 77–90
Galavotti, R., 949–957
Ganger, J., 199–213
Gangte tribe, 597–619
Gavrilov, L.A., 799–804
Gavrilova, A.L., 799–804
Gavrilova, N.S., 799–804
Geary, D.C., 185–198
gender
atypicality, 347–365
birth weight and, 517–534
blood pressure and, 59–75, 77–90
intelligence and, 257–279
personality and, 159–184
skin reflectance and, 889–900
socioeconomic/behavioral factors and, 901–917
spoken language disorders and, 297–324
gene
flow, 23–29
frequencies, 993–1000
identification, 239–256
isolation, 325–345
mapping, 281–296, 813–844
genealogy, 563–577, 1011–1023
gene-environment interaction, 159–184, 387–412
Genehunter-Plus, 1025–1040
"Genetic and Environmental Components of Thyroxine Variation in Mennonites from Kansas and Nebraska," 745–760
"Genetic and Environmental Influences on Adult Intelligence and Special Mental Abilities," 257–279
"Genetic Characterization of *APOB* and *D17S5* AFLP Loci in a Sample from the Basque Country (Northern Spain)," 491–505

genetic distance, 845–864
genetic diversity, 23–29, 443–461, 643–657
genetic drift forces, 23–39
genetic factors
language development, 199–213, 325–345
male/female ratio at birth, 1101–1106
reading disability, 239–256
resting blood pressure, 77–90
"Genetic History of the Population of Sicily," 699–714
"Genetic Markers in Coronary Artery Disease in a Russian Population," 47–57
"Genetics of Spoken Language *Disorders*," 297–324
genetic structure, 865–887
"*Genetic Variability of Apolipoprotein E* in a Polish Population," 1093–1099
"*Genetic Variability of Transferrin* Subtypes in the Populations of India," 729–744
genetic variation
APOE, 1093–1099
Japanese population, 1–22
personality traits, 159–184
transferrin in India, 729–744
genome scans, 1025–1040
genotypes
Brazilian Amerindians, 507–516
D1S80 locus, 129–135
distribution, 47–57
geographic differences, 919–935
"Geographic Differences in Seasonality of Preterm Births in Japan," 919–935
geographic distances, 1–22, 667–698, 845–864
geographic distribution
AHSG allelle frequencies, 463–475
beta hemoglobin, 659–666
genetic structure and, 865–887
infectious diseases, 91–115
microsatellite loci, 979–992
nuclear DNA in Europeans, 643–657
Georgiou, I., 621–629
German population, 761–774, 1041–1056
Gilger, J.W., 155–157
Gilles de la Tourette's syndrome (GTS), 413–432
GLO (glyoxalase), 443–461, 715–728
glucose-6-phosphate dehydrogenase (*G6PD*), 443–461
glyoxalase (*GLO*), 443–461, 715–728
GM immunoglobulin, 667–698
Gojanović, E., 949–957
Goldsmith, H.H., 387–412
Greece, 621–629
Green, A.C., 1073–1091
Greksa, L.P., 889–900
group-specific component, 699–714, 715–728
GTS (Gilles de la Tourette's syndrome), 413–432
Gu, C., 77–90
Guarani tribe, 790–797
Guerreiro, J.F., 507–516

Hajar, A.H., 129–135
Hammer, M.F., 979–992
Hansen, D., 117–128
haplotype relative risk (HRR), 413–432
haplotypes
distribution in Hellenic groups, 621–629
GM, 667–698
HLA-DQA1 and *HLA-DQA2*, 790–797
Machado-Joseph disease, 1011–1023
specific reading disability, 239–256
Y-chromosome, 1001–1010
haptoglobin (*HP*), 443–461, 699–714, 715–728
Hartmann, B., 761–774
HDL (high-density lipoprotein), 41–46, 47–57, 1093–1099
HDN (hemolytic disease of the newborn), 775–787
Heath, A.C., 1073–1091
Hellenic population, 621–629
Hemam, N.S., 597–619
hemoglobin, 659–666, 889–900
hemoglobinopathies, 993–1000
hemolytic disease of the newborn (HDN), 775–787
heritability
intelligence/mental abilities, 257–279
language, 297–324

Mennonite thyroxine levels, 745–760
personality, 159–184
reading disability, 215–237
sexual orientation, 347–365
HERITAGE Family Study, 77–90
Herrera, R.J., 23–39
Herring, D.A., 91–115
Hershberger, S.L., 155–157
heterogeneity, 699–714
heterosexuals, 347–365
heterozygosity, 491–505, 507–516
Hicks, A.M.P., 137–139
high-altitude populations, 865–887, 889–900
high-density lipoprotein (HDL), 41–46, 47–57, 1093–1099
Hindus, 738–744
historical factors, 845–864, 865–887, 1011–1023
"*HLA-DQA1* and *HLA-DQB1* Alleles and Haplotypes in Two Brazilian Indian Tribes: Evidence of Conservative Evolution of *HLA-DQ*," 789–797
HLA system, 643–657, 659–666, *699–714, 789–797*
Hmong, 993–1000
Holmans, P., 1025–1040
homoplasy, 979–992
homosexuals, 347–365
Hong, S.H., 41–46
hormone replacement therapy (HRT), 1073–1091
household income, 597–619
HP (haptoglobin), 443–461, 699–714, 715–728
HPRTB, 937–947
HRAS (c-Harvey-Ras oncogene), 413–432
HRR (haplotype relative risk), 413–432
HRT (hormone replacement therapy), 1073–1091
Hudson's Bay Company district divisions, Canada, 91–115
"Human Behavioral Genetics: Synthesis of Quantitative and Molecular Approaches," 155–157
human biology journals, 137–139
"Human Sexual Orientation Has a Heritable Component," 347–365
Huntington disease gene, 621–629
Husslein, P., 761–774
hybridization, 1–22
hyperlipoproteinemia, 1093–1099
hypertension, 59–75, 77–90
hypertriglyceridemia, 41–46
hypervariable length polymorphism, 477–490
hypothalamus, 347–365

IBD (identical by descent), 1025–1040
identical by descent (IBD), 1025–1040
"Immunoglobulin Allotypes (*GM* and *KM*) in Basques from Spain: Approach to the Origin of the Basque Population," 667–698
"Impact of Maternal Body Build Characteristics on Newborn Size in Two Different European Populations," *761–774*
inbreeding, 257–279, 563–577, 865–887
inclusive fitness theory, 159–184
India
Andhra Pradesh, 729–744, 901–917
Manipur, 597–619
Indonesian populations, 993–1000
infants
mortality, 517–534, 597–619, 919–935
newborn size, 761–774
social behavior, 159–184
infectious disease transmission, 91–115
infinite allele model, 491–505
influenza pandemic, 91–115
inheritance patterns, 367–386, 745–760
"Innateness, Evolution, and Genetics of Language," 199–213
insulin resistance, 59–75
intake of energy, 1057–1071
intelligence, 257–279
interpopulation relationships, 443–461, 579–596
intraspecific diversity theory, 159–184
IQ, 257–279, 281–296
IQ quantitative trait loci project, 281–296
Isaan, 993–1000
Ishida, T., 993–1000
island populations, 845–864

"Is Maternal Malnutrition Associated with a Low Sex Ratio at Birth?" 1101–1106
Isobe, E., 129–135
isolation, 865–887, 1041–1056
isonymous relationships, 865–887
isonymy, 1041–1056
"Isonymy and Isolation by Distance in Germany," 1041–1056
Israelis, 59–75

Janzen-Dück, M., 789–797
Japanese population, 1–22, 919–935, 1057–1071
Javanese, 993–1000
Jews, 463–475
Jomon culture, 1–22
Jones, M.B., 775–787

Kahyo, H., 919–935
Kaingang tribe, 790–797
Kamboh, M.I., 477–490
Kang, B.Y., 41–46
Kansas Mennonites, 745–760
Karafet, T., 979–992
Karpov, R.S., 47–57
Keewatin district, Manitoba, Canada, 91–115
Kelley, P.M., 239–256
Kim, J.Q., 41–46
Kimura, M., 993–1000
kinship coefficient, 1011–1023
kinship distances, 845–864
Kirchengast, S., 761–774
Kirdar, B., 715–728
KM immunoglobulin allotype, 667–698
Koreans, 41–46
Kowalska, A., 1093–1099
Krause, D., 463–475
Kravchuk, O.I., 463–475
Kroutko, V.N., 799–804
Kuchheuser, W., 463–475
Kuki groups, 597–619
Kushnareva, Yu.E., 799–804
Kutmin, A.I., 47–57

language
  Basque, 667–698
  disorders, 297–324
  evolution, 199–213
  heritability, 297–324
  sublanguages, 1041–1056
Lasker, G.W., 140–141
Lasker's distance, 1041–1056
Layrisse, Z., 443–461
LDL cholesterol, 1093–1099
lecithin-cholesterol acyltransferase, 41–46
Lee, C.C., 41–46
Leon, A.S., 77–90
Leppard, P., 117–128
Letters to the Editor
  "Alternative Explanation for Similarities between Native Americans and Siberians," 137–139
  "Citations of Human Biology Journals in Human Biology Journals," 140–141
  life expectancy, 799–804
  Light, J.G., 215–237
  Lima, M., 1011–1023
  linguistic groups, 23–39, 845–864
  lipids, 47–57
  lipoprotein (a), 477–490
  lipoprotein lipase (*LPL*), 47–57
  Lisu, 993–1000
  literacy, 597–619
  Livshits, G., 59–75
  longevity, 799–804
  low-altitude populations, 889–900
  LPL (lipoprotein lipase), 47–57

MacDonald, K.B., 159–184
Machado-Joseph disease (MJD), 1011–1023
macrosomia, 761–774
Madurian, 993–1000
major histocompatibility complex (*MHC*), 790–797
Malays, 813–844
male/female ratio, at birth, 1101–1106
malnutrition, maternal, 1101–1106
Mamolini, E., 1041–1056
Manipur, India, 597–619
Manni, 993–1000
Mapuche tribe, 937–947
Marasović, D., 949–957
Marathas, 738–744
Marcellino, A.J., 579–596

marriage, 865–887. *See also* consanguinity
Martin, L.J., 745–760
Martin, N.G., 1073–1091
Martinez Labarga, C., 699–714
Martínez-Marignac, V.L., 1001–1010
Mastana, S.S., 729–744
maternal age, 919–935
maternal effects. *See* mothers
mate selection, 347–365
mathematics performance, 215–237
mating, paternal directional, 1001–1010
Matsuda, S., 919–935, 1057–1071
Mayer, F.M., 1011–1023
MBW (mean birth weight), 1057–1071
McGuffin, P., 281–296
MCMs (multiple consanguineous marriages), 535–561
mean birth weight (MBW), 1057–1071
melanin, 889–900
Memphis mutation, 993–1000
menarche, 1073–1091
Mendelian transmission model, 59–75
menopause, 1073–1091
mental abilities, 257–279
Mestizo American populations, 959–964
Métis people, 91–115
microsatellites. *See* short tandem repeats
migration, 91–115, 597–619, 845–864
minisatellites, 643–657
mitochondrial DNA (mtDNA)
  Amerindian, 137–139, 579–596, 1001–1010
  European, 643–657
  native American, 23–39
MJD (Machado-Joseph disease), 1011–1023
mobility model, 91–115
Modiano, G., 659–666
"Molecular Approaches to Child Psychopathology," 413–432
"Molecular Approaches to the Genetic Analysis of Specific Reading Disability," 239–256
"Molecular Genetic Approaches to the Study of Language," 325–345
molecular genetics, 325–345, 367–386
"Molecular Genetic Studies of Cognitive Ability," 281–296
"Molecular Investigations into Complex Behavior: Lessons from Sexual Orientation Studies," 367–386
molecular polymorphism, 413–432
Morales, B., 535–561
mortality
  causes, predictability of, 117–128, 597–619
  child, 597–619
  infant, 517–534, 597–619, 919–935
mothers
  age, 919–935
  anthropometric characteristics, 761–774
  cause of death, 117–128
  intelligence of children and, 257–279
  malnutrition, 1101–1106
  response patterns, 159–184
  stature, 1101–1106
motivation, 185–198
*Msp*I, 41–46, 47–57
mtDNA. *See* mitochondrial DNA
multifactorial polygenic models, 297–324
multiple consanguineous marriages (MCMs), 535–561
multiple disease loci, 1025–1040
"Multiple Kinship in Two Spanish Regions: New Model Relating Multiple and Simple Consanguinity," 535–561
multiresponse permutation procedure, 579–596
"Multivariate Behavioral Genetic Analysis of Achievement and Cognitive Measures in Reading-Disabled and Control Twin Pairs," 215–237
mutations
  AFLP, 491–505
  butyrylcholinesterase K, 965–970
  Machado-Joseph disease, 1011–1023
mutual sex play, 775–787

N-acetyltransferase (NAT2), 959–964
Nadene linguistic group, 23–39
NAT2 (N-acetyltransferase), 959–964
National Nutrition Survey, 1057–1071
native Americans, 23–39, 137–139, 979–992

natural selection, 597–619
Nebraska Mennonites, 745–760
NEO inventory (neuroticism, extroversion, openness), 387–412
Nesti, C., 1041–1056
neuroanatomical correlates, 347–365
Neuroticism, extroversion, openness inventory (NEO), 387–412
nicotine consumption, prepregnancy, 761–774
Nigg, J.T., 387–412
nonsmokers, 901–917
Novick, C.C., 23–39
Novick, G.E., 23–39
Nurbaev, S.D., 463–475
nutritional intake, 1057–1071

obesity, 59–75, 901–917, 1101–1106
obsessive-compulsive disorder (OCD), 413–432
occupation, 1073–1091
OCD (obsessive-compulsive disorder), 413–432
ODD (oppositional defiant disorder), 387–412
Ojibwa, 813–844
Olson, R.K., 215–237
openness, 387–412
oppositional defiant disorder (ODD), 387–412
"Origins of a Mutation: Population Genetics of Machado-Joseph Disease in the Azores (Portugal)," 1011–1023
ORM1 (orosomucoid 1), 715–728
orosomucoid 1 (*ORM1*), 715–728
ovalocytosis, 993–1000
overweight, 59–75
Owen, M.J., 281–296

Pacaci, M., 699–714
Pagoulatos, G., 621–629
Pandeya, N., 1073–1091
Papiha, S.S., 729–744
Park, W.H., 41–46
Parsees, 738–744
Pascali, V., 643–657
Pastor, S., 865–887
Patels, 738–744
paternal age at reproduction, 799–804
"Paternal Directional Mating in Two Amerindian Subpopulations Located at Different Altitudes in Northwestern Argentina," 1001–1010
paternity exclusion, 491–505
Patsalis, P.C., 621–629
Pattatucci, Á.M., 367–386
Pauls, D.L., 413–432
Peabody Individual Achievement Test (PIAT), 215–237
Peloso, G., 715–728
Peña, J.A., 535–561, 667–698
Penacino, G., 937–947
Pereira, L., 965–970
Perez-Miranda, A., 667–698
personality
  birth order and, 159–184
  child psychopathology and, 413–432
  psychopathology, temperament and, 387–412
Peruvian Central Andes, 865–887
Pettener, D., 865–887
Petzl-Erler, M.L., 789–797
PEX (exclusion of paternity), 491–505
PGD (phosphogluconate dehydrogenase), 443–461
PGM1 (phosphoglucomutase 1), 715–728
phenotypes
  AHSG, 463–475
  APOE, 1093–1099
  definition, 239–256, 325–345
  distribution, 443–461, 699–714, 979–992
  sexual orientation, 347–365
phenotypic distances, 845–864
phonological ability, 215–237
phosphoglucomutase 1 (*PGM1*), 715–728
phosphogluconate dehydrogenase (*PGD*), 443–461
physical domains, 185–198
physical mapping, 239–256
PIAT (Peabody Individual Achievement Test), 215–237
PIC (polymorphic information content), 491–505
pidgins, 199–213
Pignatti, P.F., 949–957
Pillard, R.C., 347–365

pleiotropy, 281–296
Plomin, R., 281–296
point mutations, 23–39, 993–1000
Polish population, 1093–1099
polygene pleiotropy model, 59–75
polymerase chain reaction primer-introduced restriction analysis (PCR-PIRA), 965–970
"Polymorphic *Alu* Insertions and the Asian Origin of Native American Populations," 23–39
polymorphic information content (PIC), 491–505
polymorphisms
  α_2-receptor gene, 77–90
  AHSG, 463–475
  in coronary artery disease, 47–57
  D1S80 locus, 507–516
  ethnic-specific, 659–666
  hypervariable length, 477–490
  *Msp*I, 41–46
  protein, 643–657
  single-stranded conformational, 413–432
  trinucleotide repeat, 387–412
  in Turkish population, 715–728
  VNTRs. *See* variable number of tandem repeats
Pompei, F., 659–666
population
  distance, 845–864
  pyramid, 597–619
  size during epidemic, 91–115
  variation in isolates, 845–864
"Population Genetic Characteristics of the STR Loci *D21S11* and *FGA* in Eight Diverse Human Populations," 813–844
Portugal, 1011–1023
positional cloning, 281–296, 325–345
postmenopausal women, 745–760
Prader-Willi syndrome, 413–432
Pre-Columbian Mixtec social organization, 563–577
"Predictive Factors of Age at Menopause in a Large Australian Twin Study," 1073–1091
pregnancy, 761–774, 1057–1071, 1073–1091
preterm births, 919–935
Primorac, D., 949–957
probands, 297–324
properdin factor B, 715–728
"Protein and Hypervariable Tandem Repeat Diversity in Eight African-Derived South American Populations: Inferred Relationships Do Not Coincide," 443–461
protein intake, 1057–1071
proteins, serum, 1–22
psychometric assessment, 215–237, 347–365
psychopathology, developmental, 387–412
Purdie, D., 1073–1091
Puzyrev, V.P., 47–57
*Pvu*II polymorphism, 47–57

Qatari population, 129–135
quantitative trait loci, 281–296
Quechua, 865–887

race, 77–90, 477–490
Ragland, J., 979–992
Rao, D.C., 77–90
reading disabilities, 215–237, 239–256, 413–432
reading performance, 215–237
Reddy, B.M., 597–619
Reddy, B.N., 901–917
Red Karen, 993–1000
regional differences in MBW and nutritional intake, 1069
reproduction success, 159–184
restriction fragment length polymorphisms (RFLPs)
  APOB locus, 47–57
  child psychopathology, 413–432
  native Americans, 23–39
  specific reading disability, 239–256
RFLPs. *See* restriction fragment length polymorphisms
Rh blood group, 699–714
Rickards, O., 699–714
Rodriguez-Larralde, A., 1041–1056
Romphruk, A., 993–1000
Rudan, P., 845–864
Russian population, 47–57

Sala, A., 937–947
Salishans, 813–844
Salzano, F.M., 443–461
Santos, S.E.B., 507–516
SAO (Southeast Asian ovalocytosis), 993–1000
Sattenspiel, L., 91–115
SBP (systolic blood pressure), 59–75, 77–90
Scacchi, R., 715–728
Scano, G., 699–714
Scapoli, C., 1041–1056
Schafhauser, C., 789–797
Schanfield, M.S., 949–957
Scheer, W.D., 23–39
Schneider, M.P., 443–461
Schweppe, K.W., 761–774
SCMs (simple consanguineous marriages), 535–561
seasonality, 919–935
Sebetan, I.M., 129–135
Segal, N.L., 159–184
segregation analyses, 59–75, 297–324
"Segregation Analysis Reveals a Major Gene Effect Controlling Systolic Blood Pressure and BMI in an Israeli Population," 59–75
self-identification, of sexual orientation, 367–386
Semyonova, V.G., 799–804
Settheetham-Ishida, W., 993–1000
sex effects. *See* gender
sex-linked traits, 367–386
sex ratio, at birth, 1101–1106
sex structure, of Gangte tribe, 597–619
sexual attraction, 347–365
sexual behavior, 367–386
sexual orientation, 347–365, 367–386, 775–787
Shan, 993–1000
Shimizu, Y., 993–1000
short interspersed repetitive elements (SINEs), 23–39
short tandem repeats (STRs; microsatellites)
  African-derived South Americans, 443–461
  allele frequencies, 937–947
  child psychopathology, 413–432
  clinal variation, 643–657
  D21S11 and *FGA*, 813–844
  DXYS156, 979–992
  FMR1, 621–629
Siberians, 137–139
siblings, 257–279, 325–345, 775–787
sib-pair analysis, 413–432, 1025–1040
Sicily, Italy, 699–714
simple consanguineous marriages (SCMs), 535–561
SINEs (short interspersed repetitive elements), 23–39
single major locus models, 297–324
single-mutation theory, 137–139
single-stranded conformational polymorphisms (SSCPs), 413–432
Skinner, J.S., 77–90
skin reflectance, 889–900
Slater's index, 775–787
Smith, S.D., 239–256
smokers, 901–917, 1073–1091
social domains, 185–198
social groups, 1073–1091
socioeconomic status, 597–619, 901–917, 1057–1071, 1073–1091
Soemantri, A., 993–1000
Sokal, R.R., 1–22, 845–864
Sotomaior, V.S., 789–797
South American populations, 443–461, 579–596
South Australia, 117–128
Southeast Asian ovalocytosis (SAO), 993–1000
Southeast Asian populations, 993–1000
Souza, R.L.R., 965–970
Spanish flu, 91–115
Spanish populations, 491–505, 535–561, 667–698
spatial autocorrelation analysis, 1–22
"Spatial Genetic Structure of Human Populations in Japan," 1–22
specific language impairment, 325–345
specific reading disability, 239–256
Spitsyn, V.A., 463–475
spoken language disorders, 297–324
SSCPs (single-stranded conformational polymorphisms), 413–432

stature, maternal, 761–774
Stepanov, V.A., 47–57
Stoneking, M., 23–39
Stromswold, K., 199–213, 297–324
STRs. *See* short tandem repeats
"Structured Epidemic Models and the Spread of Influenza in the Central Canadian Subartic," 91–115
"Study of 15 Protein Polymorphisms in a Sample of the Turkish Population," 715–728
subjacency, 199–213
sublanguages, 1041–1056
Sub-Saharan populations, 659–666
surnames, 865–887, 1001–1010, 1041–1056
"Surnames and Genetic Structure of a High-Altitude Quechua Community from the Ichu River Valley, Peruvian Central Andes, 1825–1914," 865–887
Syrrou, M., 621–629
systolic blood pressure (SBP), 59–75, 77–90

Tallis, G.A., 117–128
Tallis, G.M., 117–128
tanning, skin reflectance and, 889–900
Tan-Siew, W.F., 813–844
Tarazona-Santos, E., 865–887
temperament, 387–412
temperature, atmospheric, 919–935
Texas Adoption Study, 257–279
TF (transferrin), 443–461, 699–714, 729–744
TH1, 643–657
Thais, 993–1000
Therriault, G., 517–534
theta criterion, 199–213
THO1, 937–947
Thomson, B.A., 1–22
thyroxine, 745–760
time series analysis, 919–935
Tiwawech, D., 993–1000
Toraja, 993–1000
Trabetti, E., 949–957
trait distributions, 159–184
transferrin (*TF*), 443–461, 699–714, 729–744
transmission disequilibrium test, 413–432
transsexuals, 347–365
Treloar, S.A., 1073–1091
triglycerides, 41–46, 47–57
trinucleotide repeat polymorphisms, 387–412
"Twenty-Seven Base Pair Deletion in Erythrocyte Band 3 Protein Gene Responsible for Southeast Asian Ovalocytosis Is Not Common among Southeast Asians," 993–1000
twin studies
  age at menopause, 1073–1091
  cognitive ability, 281–296
  intelligence, 257–279
  mortality, 117–128
  personality, 159–184
  psychopathology, temperament and personality, 387–412
  reading disabilities, 215–237
  sexual orientation, 347–365
  of specific language impairment, 325–345

Ukoli, F.A., 477–490
ultraviolet radiation, 889–900
underreporting, of double kinship marriages, 535–561

Vallinoto, A.C.R., 507–516
"Variability of Birth-Weight Distributions by Sex and Ethnicity: Analysis Using Mixture Models," 517–534
variable number of tandem repeats (VNTRs)
  African-derived South Americans, 443–461
  Basque population, 491–505
  child psychopathology, 413–432
  native Americans, 23–39
  Qatari population, 129–135
"Variation in the Number of *FMR1* Microsatellite Repeats in Three Subgroups of the Hellenic Population," 621–629
Venezuelans, 443–461
verbal ability, 215–237

very low density lipoprotein (VLDL), 47–57
Vidales, C., 667–698
Vienna, Austria, 761–774
VLDL (very low density lipoprotein), 47–57
VNTRs. *See* variable number of tandem repeats
VWA01, 937–947
VWA31A, 643–657

Waddle, D.M., 845–864
Wahrendorf, J., 59–75
WAIS-R (Wechsler Adult Intelligence Scale), 215–237
Walter, H., 699–714, 1093–1099
Wechsler Adult Intelligence Scale (WAIS-R), 215–237
Wechsler Intelligence Scale for Children (WISC-R), 215–237
weight. *See* body weight
Weimer, T. de Azevedo, 443–461
White Karen, 993–1000
whites, 77–90
Wichi tribe, 937–947
Wiechmann, I., 1093–1099
Wilmore, J.H., 77–90
WISC-R (Wechsler Intelligence Scale for Children), 215–237
wombling method, 1–22
Wood, E., 979–992

*Xba*I polymorphism, 47–57
X chromosome, 281–296, 367–386, 979–992
Xq28 markers, 367–386

Yap, K.H., 813–844
Yayoi culture, 1–22
Y chromosome, 979–992, 1001–1010
York, D.S., 23–39
Yunis, E., 23–39
Yunis, J., 23–39

Zago, M.A., 443–461, 507–516